L Number	Hits	Search Text	DB	Time stamp
13	1707	(nredetermined near) interval with	USPAT;	2003/12/27
13	1/0/	(predetermined near2 interval) with	•	
		minute	US-PGPUB;	11:03
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	4		USPAT;	2003/12/27
		minute) and (default adj time)	US-PGPUB;	11:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	37561	interval with minute	USPAT;	2003/12/27
	}		US-PGPUB;	11:04
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
16	1707		USPAT;	2003/12/27
		minute) and (interval with minute)	US-PGPUB;	11:04
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
17	2824	default near2 time	USPAT;	2003/12/27
			US-PGPUB;	11:04
			EPO; JPO;	
			DERWENT;	İ
			IBM_TDB	
18	20	(((predetermined near2 interval) with	USPAT;	2003/12/27
		minute) and (interval with minute)) and	US-PGPUB;	11:38
		(default near2 time)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
21	281454	range with time	USPAT;	2003/12/27
			US-PGPUB;	11:23
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
22	693	(default near2 time) and (range with	USPAT;	2003/12/27
		time)	US-PGPUB;	11:16
ļ	1		EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
23	39	, , ,	USPAT;	2003/12/27
1		time)) and 455/\$.ccls.	US-PGPUB;	11:24
1	1		EPO; JPO;	
1			DERWENT;	
			IBM_TDB	2002/12/27
24	99831	schedule or appointment	USPAT;	2003/12/27
			US-PGPUB;	11:23
			EPO; JPO;	
			DERWENT;	
		1,,(-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,-,	IBM_TDB	0000 (10 (07
25	718	(default near2 time) and (schedule or	USPAT;	2003/12/27
		appointment)	US-PGPUB;	11:23
			EPO; JPO;	
	İ		DERWENT;	·
1			IBM_TDB	0000 (10 (5-
26	36		USPAT;	2003/12/27
		appointment)) and 455/\$.ccls.	US-PGPUB;	12:22
	1		EPO; JPO;	
		N	DERWENT;	
			IBM_TDB	0000 /55 /55
27	2	,,	USPAT;	2003/12/27
	1	appointment)) and 455/566.ccls.	US-PGPUB;	11:32
			EPO; JPO;	
			DERWENT;	
L		<u> </u>	IBM_TDB	

29	5	(default near2 time) and 455/12.1.ccls.	USPAT; US-PGPUB;	2003/12/27 12:20
			EPO; JPO;	
			DERWENT; IBM TDB	
30	3898	register\$3 with provider	USPAT;	2003/12/27
			US-PGPUB;	12:23
			EPO; JPO;	
			DERWENT;	
31	2172	register\$3 with provider) and messag\$3	IBM_TDB USPAT;	2003/12/27
"		(1091550145 112011 p1011401, 4114 110114341	US-PGPUB;	12:22
			EPO; JPO;	
			DERWENT;	
32	1681	((register\$3 with provider) and messag\$3)	IBM_TDB USPAT;	2003/12/27
32	1001	and server	US-PGPUB;	12:22
			EPO; JPO;	
			DERWENT;	
33	153	(((register\$3 with provider) and	IBM_TDB USPAT;	2003/12/27
ادد	153	messag\$3) and server) and 455/\$.ccls.	US-PGPUB;	12:22
			EPO; JPO;	
			DERWENT;	
24	98	((((register\$3 with provider) and	IBM_TDB USPAT;	2003/12/27
34	98	messag\$3) and server) and 455/\$.ccls.)	US-PGPUB;	12:23
		and (wireless near2 (link or path or	EPO; JPO;	
		communication))	DERWENT;	
	1105	0 (74)	IBM_TDB	2002/12/27
35	1105	register\$3 with (wireless near2 (link or path or communication))	USPAT; US-PGPUB;	2003/12/27
		path of communication,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/07
36	32	<pre>(((((register\$3 with provider) and messag\$3) and server) and 455/\$.ccls.)</pre>	USPAT; US-PGPUB;	2003/12/27
		and (wireless near2 (link or path or	EPO; JPO;	13.11
		communication))) and (register\$3 with	DERWENT;	'
		(wireless near2 (link or path or	IBM_TDB	
37	1926	communication))) 455/517.ccls.	USPAT;	2003/12/27
37	1926	455/517.0018.	US-PGPUB;	13:12
			EPO; JPO;	
			DERWENT;	
20	40	AFF/F17 gglg and (glass as idala)	IBM_TDB	2003/12/27
38	48	455/517.ccls. and (sleep or idele)	USPAT; US-PGPUB;	2003/12/27
			EPO; JPO;	
			DERWENT;	
30	1	////mamistand2 with massidan\	IBM_TDB	2003/12/27
39	49	<pre>((((((register\$3 with provider) and messag\$3) and server) and 455/\$.ccls.)</pre>	USPAT; US-PGPUB;	13:13
		and (wireless near2 (link or path or	EPO; JPO;	
		communication))) and (awake or wake or	DERWENT;	
40	1	active)	IBM_TDB	2002/12/27
40	37	(455/517.ccls. and (sleep or idele)) and (awake or wake or active)	USPAT; US-PGPUB;	2003/12/27
		langue of ware of decive,	EPO; JPO;	13.23
			DERWENT;	
4.7		///55/5171	IBM_TDB	2002/12/27
41	24	((455/517.ccls. and (sleep or idele)) and (awake or wake or active)) and	USPAT; US-PGPUB;	2003/12/27 13:29
		(predetermin\$2 with (period or time))	EPO; JPO;	13.69
		The state of the s	DERWENT;	
		1.55 (440 1 440 3	IBM_TDB	2002/10/22
-	455	455/412.1, 413.ccls.	USPAT; US-PGPUB;	2003/12/23
	1		EPO; JPO;	10.25
			DERWENT;	
	4		IBM TDB	<u></u>

Search History 12/27/03 1:56:59 PM Page 2

_	72072	wireless near2 (link or path or communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/27 12:23
-	5217	establish\$5 with (wireless near2 (link or path or communication or connection))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 19:23
-	24	(455/412.1, 413.ccls.) and (establish\$5 with (wireless near2 (link or path or communication or connection)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 16:53
-	70730	(select\$3 or choos\$3) near time	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 19:17
-	250	(establish\$5 with (wireless near2 (link or path or communication or connection))) and ((select\$3 or choos\$3) near time)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 16:55
-	2401	(select\$3 or choos\$3) near (predetermined near2 time)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 20:02
-	14	<pre>(establish\$5 with (wireless near2 (link or path or communication or connection))) and ((select\$3 or choos\$3) near (predetermined near2 time))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:12
-	2	6052563.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23
-	8	6052563.URPN.	USPAT	2003/12/23
-	4	("4894649"   "5416473"   "5452356"   "5790974").PN.	USPAT	2003/12/23
-	609	455/343.1, 343.4, 574.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 17:35
-	6362	(wake or active) adj mode	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 17:36
-	11341	(sleep or idle) adj mode	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 17:36
-	1160	((wake or active) adj mode) and ((sleep or idle) adj mode)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 17:37
_	13	(455/343.1, 343.4, 574.ccls.) and (((wake or active) adj mode) and ((sleep or idle) adj mode))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 17:43

_	15	((select\$3 or choos\$3) near (predetermined near2 time)) and (((wake	USPAT; US-PGPUB;	2003/12/23 17:44
		or active) adj mode) and ((sleep or idle) adj mode))	EPO; JPO; DERWENT; IBM TDB	
-	15	(((select\$3 or choos\$3) near (predetermined near2 time)) and (((wake	USPĀT; US-PGPUB;	2003/12/23 17:44
		or active) adj mode) and ((sleep or idle) adj mode))) not ((455/343.1, 343.4, 574.ccls.) and (((wake or active) adj	EPO; JPO; DERWENT; IBM_TDB	
-	1735	<pre>mode) and ((sleep or idle) adj mode))) ((select\$3 or choos\$3) near time) and ((select\$3 or choos\$3) near (predetermined near2 time))</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/12/23 19:13
			DERWENT; IBM_TDB	
_	12	<pre>(establish\$5 with (wireless near2 (link or path or communication or connection))) and (((select\$3 or choos\$3) near time) and ((select\$3 or choos\$3) near</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23
_	159158	(predetermined near2 time))) calendar or schedul\$3 or appointment	IBM_TDB USPAT;	2003/12/23
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	19:47
_	1	or path or communication or connection))) and (((select\$3 or choos\$3) near time) and ((select\$3 or choos\$3) near	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23
-	81659	<pre>(predetermined near2 time)))) and (calendar or schedul\$3 or appointment) (select\$3 or choos\$3) near (time or interval)</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/12/23 19:45
-	1762	((select\$3 or choos\$3) near (predetermined near2 time)) and ((select\$3 or choos\$3) near (time or interval))	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:18
_	12	<pre>(establish\$5 with (wireless near2 (link or path or communication or connection))) and (((select\$3 or choos\$3) near (predetermined near2 time)) and ((select\$3 or choos\$3) near (time or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 19:18
-	. 1	or path or communication or connection))) and (((select\$3 or choos\$3) near (predetermined near2 time)) and ((select\$3 or choos\$3) near (time or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 19:20
_	9270	<pre>interval)))) and (calendar or schedul\$3 or appointment) ((select\$3 or choos\$3) near (time or interval)) and (calendar or schedul\$3 or appointment)</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/12/23
			DERWENT; IBM_TDB	
_	252	((select\$3 or choos\$3) near (predetermined near2 time)) and (((select\$3 or choos\$3) near (time or	USPAT; US-PGPUB; EPO; JPO;	2003/12/23
		<pre>interval)) and (calendar or schedul\$3 or appointment))</pre>	DERWENT; IBM TDB	

_	1	<pre>(establish\$5 with (wireless near2 (link or path or communication or connection))) and (((select\$3 or choos\$3) near</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/12/23 19:21
		<pre>(predetermined near2 time)) and (((select\$3 or choos\$3) near (time or interval)) and (calendar or schedul\$3 or appointment)))</pre>	DERWENT; IBM_TDB	
-	6		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 19:23
-	84	<pre>(((select\$3 or choos\$3) near (predetermined near2 time)) and (((select\$3 or choos\$3) near (time or interval)) and (calendar or schedul\$3 or appointment))) and (wireless near2 (link or path or communication or connection))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 19:46
_	738963	portable or handheld or mobile or PDA or (wireless near2 (unit or device))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23
-	78	<pre>((((select\$3 or choos\$3) near (predetermined near2 time)) and (((select\$3 or choos\$3) near (time or interval)) and (calendar or schedul\$3 or appointment))) and (wireless near2 (link or path or communication or connection))) and (portable or handheld or mobile or PDA or (wireless near2 (unit or device)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23
_	900328	portable or handheld or mobile or PDA or (wireless near2 (unit or device)) or cellular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:33
-	78	<pre>((((select\$3 or choos\$3) near (predetermined near2 time)) and (((select\$3 or choos\$3) near (time or interval)) and (calendar or schedul\$3 or appointment))) and (wireless near2 (link or path or communication or connection))) and (portable or handheld or mobile or PDA or (wireless near2 (unit or device)) or cellular)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 19:34
_	368852	predetermined near2 (time or interval)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:44
_	70730	(select\$3 or choos\$3) near time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:45
_	17981	(predetermined near2 (time or interval)) and ((select\$3 or choos\$3) near time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:45
_	3846	<pre>(portable or handheld or mobile or PDA or (wireless near2 (unit or device)) or cellular) and ((predetermined near2 (time or interval)) and ((select\$3 or choos\$3) near time))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:45

-	1002	<pre>((portable or handheld or mobile or PDA or (wireless near2 (unit or device)) or cellular) and ((predetermined near2 (time or interval)) and ((select\$3 or choos\$3) near time ))) and (wireless near2 (link</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 19:46
-	481	or path or communication or connection)) (calendar or schedul\$3 or appointment) and (((portable or handheld or mobile or PDA or (wireless near2 (unit or device)) or cellular) and ((predetermined near2 (time or interval)) and ((select\$3 or choos\$3) near time ))) and (wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 19:47
-	50	near2 (link or path or communication or connection)) (establish\$5 with (wireless near2 (link or path or communication or connection))) and ((calendar or schedul\$3 or appointment) and (((portable or handheld or mobile or PDA or (wireless near2 (unit or device)) or cellular) and ((predetermined near2 (time or interval)) and ((select\$3 or choos\$3) near time)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 19:47
-	5075	<pre>and (wireless near2 (link or path or communication or connection)))) (select\$3 or choos\$3) near2 (predetermined near2 time)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 20:02
-	24597	(select\$3 or choos\$3) near2 (interval)	IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 20:03
-	672	<pre>((select\$3 or choos\$3) near2 (predetermined near2 time)) and ((select\$3 or choos\$3) near2 (interval))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 20:04
_	9	<pre>(establish\$5 with (wireless near2 (link or path or communication or connection))) and (((select\$3 or choos\$3) near2 (predetermined near2 time)) and ((select\$3 or choos\$3) near2 (interval)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 20:19
_	7	((Select33 of Chos;3) hear2 (interval)) ("5987326"   "6067458"   "6088578"   "6148208"   "6167270"   "6272124"   "6396804").PN.	USPAT	2003/12/23 20:08
-	0	6662019.URPN.	USPAT	2003/12/23 20:09
-	454	340/870.28.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 20:23
-	3	<pre>(((select\$3 or choos\$3) near2 (predetermined near2 time)) and ((select\$3 or choos\$3) near2 (interval))) and 340/870.28.ccls.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/27 10:59
_	958	375/130.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 20:23
_	1	<pre>(((select\$3 or choos\$3) near2 (predetermined near2 time)) and ((select\$3 or choos\$3) near2 (interval))) and 375/130.ccls.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 20:24